Home (1942) Department.

Ms SERIES.

P. 29/E)

G.O. No. 3195

Dated 4 - 9 - 42

443/11.3

[Despatch Abstract.]

Fairs — Alimuraon fair Bellary vois run
Certified schools to Harn Vrale Central.
Installation Cinematograph vested over to War
Dept conditions

SECRET

21784 C
2-9-42

NO. 169 / 17 /S
H.Q. MADRAS DISTRICT.
BANGALORE, 31 AUG. 42.

To

The Secretary to Govt.
Home Department,
MADRAS.



BELLARY - ALIPURAM JAIL - ALIPURAM TANK - WATER SUPPLY SYSTEM - PROPOSAL TO HAND OVER TO DEFENCE DEPARTMENT.

With ref. to the interview granted by the Adviser to Government (Mr. Rutherford) to the D.C.R.E. Madras District on 26.8.42, Madras Government's telegram dated 27.8.42 and the Adviser's D.O. letter to the D.C.R.E. also dated 27.8.42 ; I write to confirm that the Defence Department agree to the conditions suggested by the Madras Govt. under which the Defence Department should take over the Alipuram Tank Water Supply Installation as under:-

a) Scheme "B" is to be executed.

N.B This scheme envisages a separate booster station to be operated by the Defence Department adjoining the present municipal booster station, a direct connection from the 12" municipal main, a 6" main from the new booster station to the camp site with a 6" branch main to the Alipuram Jail.

b) The Defence Department may have the use of the pipes, pumps, jewel filters etc. comprising the Alipuram Tank Pumping Installation but these are to remain the property of the Madras Govt. and when no longer required by the Defence Department are to be handed back to the Madras Govt. either in situ or if so desired by the Madras Govt. the Defence Department will have to restore the status quo.

c) The cost of taking up the present installation, of forming the new system, and, if so directed, of restoring the status quo will be borne by the Defence Department.

d) The Defence Department will supply to the Alipuram Jail and Certified School combined up to a maximum of 30,000 gallons a day at the following rates:-

For the first 15,000 galls. Rs.1/8/- per 1000 galls
For the second 15,000 " As.8/- " " "

In view of urgency I have authorised the work to be put in hand.

Maj.Gen.
Comd.

Copy to:

Inspector General of Prisons,
Madras.
Supdt. of Alipuram Jail, Bellary.
Chief Engineer, P.W.D. Madras.

Vide orders at pp 5

3

GOVERNMENT OF MADRAS

Received.....1942. Registered.....1942.

Abstract

JAILS - Alipuram jail, Bellary and Junior Certified School, Bellary - Water supply - Installation temporarily handed over to War Department - Conditions imposed.

HOME DEPARTMENT

G.O.M. No.3195. dated 4th September 1942.

Read: From the Commander, Madras District, No.169/17/1 dated 31st August 1942.

ORDER:

Subject to the conditions enumerated below, the Madras Government accept the proposals of the General Officer Commanding Madras District that the War Department of the Government of India should take over the pipes, pumps, jewel filters and other plant comprising the Alipuram Tank Pumping Installation, for use in a water supply scheme which provides for a separate booster station adjoining the present Municipal booster station; a direct connection from the 12" municipal main; and a 6" main from the new booster station to a military camp with a 6" branch main to the Alipuram Jail:-

(a) that the War department shall have the use of the Alipuram Tank water supply pumping installation which shall however remain the property of the Government of Madras;

(b) that the installation shall be handed back to the Government of Madras when no longer required by the military authorities;

K

(c) that the War Department shall bear the cost of the present scheme and of restoring the installation at the Alipuram tank if the Madras Government desire it to be restored;

J

(d) that the War Department shall supply water to the Alipuram jail and the Junior Certified School at Bellary upto a maximum of 30,000 Gallons a day at the following rates:-

for the first 15,000 Gallons As.1/6/- per 1000 Gallons
for the second 15,000 Gallons As.8/- per 1000 Gallons.

(By Order of His Excellency the Governor)

C.R.V. Williams,
Secretary to Government.

To the Inspector General of Prisons
" Accountant General through the Finance Department
" Finance Department
" Public Works Department
" Commander, Madras District (with C.D.)
" Government of India, War Department (with C.D.)

Forwarded/By Order

Superintendent.

8

[Vide clause 6 post Pgraph]

C.F.-16.

Home Deptt

DRAFT FOR APPROVAL.

	Date.	Initials.
When received for fair copying ..		
When copied ..		
When examined..		
When signed ..		
When despatched.		

SUBJECT :— Jails Aliparam gaol, Bellary and Junior Certified School, Bellary — water Supply — ~~Proposals~~ of ~~Govt. of India, Defence Deptt.~~ to take over ~~Aliparam Tanks water Supply~~ system agreed to ~~subject to conditions~~ Installation temporarily handed over to War Deptt — conditions imposed

READ AGAIN ....., dated .....

" " ..... " .....

READ *ALSO* :—

Draft C. No 21698/A4 From the Commander, Madras District, No. 169/17/5 dated 31-8-1942

" ..... " ..... " ..... " ..... 19 .....

" ..... " ..... " ..... " ..... 19 .....

~~Resolution Read~~ Order — Ms. No. 3195 dated 4 - 9 - 1942

Subject to the conditions enumerated below,

A training battalion H.Q in temporary quarters is to be established at Bellary, with a view to providing the water required for the military Camp, the G.O. ~~proposes to hand over to the Defence deptt, hands proposed to~~ to take over the pipes, pumps, gravel filters etc. of the Aliparam Tanks Pumping Installation comprising ~~instead them at~~ a separate booster station adjoining the present Municipal booster station; ~~and to get~~ a direct connection from the 12" municipal main; and a 6" main from the new booster station to the military Camp ~~sites~~ with a 6" branch main to the Aliparam gail :— ~~The Govt. of Madras~~ agree to the ~~proposal subject to the following conditions~~ viz —

(a) that the ~~Defence~~ Deptt will have

The W.O. has not accepted the proposal to take over the pipes, pumps etc. but has agreed to lease them to the W.O.

In use on the water-supply scheme which provides for

P.S. N.F

the use of the Aliparam Tanks water supply pumping installation ~~but that it would~~ which Rly will have remain the property of the Govt. of Madras; Pl cp

(b) that the installation ~~will~~ Rly be handed back to the Govt. of Madras when no longer required ~~for the Camp~~. by the military authorities; Pl Ct.

(C) that the ~~Defence~~ Govt Depts ~~would~~ Rly bear the cost of ~~taking up the installation and re-~~ the present scheme of ~~forming the new system and, if required,~~ ing of restoring the installation at the Aliparam tank ~~when the camp is abolished~~; and if the Govt Rly desire it to be restored

(d) that the ~~Defence~~ Govt Depts ~~will~~ Rly supply water to the Aliparam gail and the Junior Certified School at Bellary ~~water~~ upto a maximum of 30,000 gallons a day at the following rates:— -/60- Imp S A F

for the first 15,000 gallons, Rs. 1/2/- per 1000 gallons.

for the second 15,000 gallons, As. 8/- per 1000 gallons.

2/9/42

(G 3944) To Despd 11/9/42

The D.G.P.&T.
" A.G. Msp. Engg Depts
" Fin. Depts
" D.W.D. under Commander
" Madras Dists (with C.L.)
" Govt of India
" Govt Defence Depts (with C.L.)

(clean copy)

copy for 87

SECRET.

25027 N 19/10/42

C.F. 33. ENDORSEMENT

PROCEEDINGS / MEMORANDUM OF THE Chief Engineer, P.W.D.(Buildings and A.R.P.)

Post Box No. _____ *Telegraphic Address* _____

Name E.H. Chave Esq., B.Sc.

No. 5518 Wks/42 C.R., *dated* 16th October 19 42

HOME OCT 17 1942 GOVT OF MADRAS
JOINT SECRETARY 17 OCT 1942 HOME DEPARTMENT

Short title Bellary - Alipuram Jail - Alipuram tank - Water supply system - ~~Proposal to hand over to Defence Department -~~

READ—the following:—

Letter No.1084-C dated 13-10-1942 from the Superintending Engineer, Beswada Circle.

...

Ref: Your No.5518 Wks/42-1 dated 1-9-1942.

...

In para 'b' of your above number, mention is made about Jewel filters. In ~~mk~~ enclosing herewith a copy of Executive Engineer's (Bellary) letter No.95-C dated 17-9-1942, I have to state that there are no Jewel filters at the site of the present Alipuram tank water supply scheme.

... II

Copy of letter No.95-C dated 17-9-1942 from the Executive Engineer, Bellary Division, to the Supg. Engineer, Beswada Circle.

...

There are two sets of old Jewel Filters in disuse at the site of old pumping station which was once supplying water for the Alipuram Jail from the Fort ditch. Presumably the Military authorities have made mention of these. At the site of the present Alipuram tank water supply scheme, there are no filter plants except the gravity filtering installation.

... III

Copy forwarded to the ~~Commissioner,xxMadrasxDistrict~~ Commander, Madras District, with reference to his letter No.169/17/S dated 31-8-1942 addressed to the Secretary to Government, Home Department.

In view of the Executive Engineer's report, 'Jewel filters'

occurring

occurring in clause (b) may be deleted.

J. V. Subramanyam 16.10.42
for Chief Engineer, P.W.D.
(Buildings and A.R.P.)

To the Commander, Madras District, Bangalore.
Copy to the Secretary to Government, Home Department.

Home Deptt

Submitted for perusal.
May be lodged and filed with
G.O. 3195 Home, dt 6-9-0.

20/10/42

b3: 7 (1)

No. 40290/71/E4

11 Dec. 42.

From

C.R.E., 105 L. of C. Area.
c/o No. 11 Ind. Adv. Base P.O

To:

The Jail Supdt.
Bellary.

14 DEC 1942

PUMPING PLANT BELLARY.

Please expedite reply to this Office No. 40290/71/E-4, dated 30.11.1942.

Capt. R. E.
for C.R.E., 105 L. of C. Area.

Copy to:
The Secy. Home Dept. Madras *
The Inspector General of Prisons, Madras Govt. Coimbatore *

* with copy of letter quoted above for information.

AP/10/12

Home Dept.

~~Submitted for perusal~~
~~May have the goods~~
expdt



H

Copy of letter No.40290/71/E-4. dated 30.11.42 from C.R.E., 105 L. of C. Area c/o No.11 Ind. Adv. Base P.O to The Jail Suptt. Bellary

PUMPING PLANT BELLARY.

It has been reported that the following items have not been handed over with the equipment from Alipuram Tank Pump House.

(a) Belt for engine driven pumping set.
(b) Oil lamp for engine starting purposes.

Will you please confirm that these items will be handed over when required for military purposes on 1.2.1942.

P.T.O.

14

Home Dept.

The communications on pages 1–3 ante are addressed to the joint Supply & Transport for information. They are sent for personal view. No no 3195 Home 8.4.42. p3cf may be lodged.

(X)

(DM)
16.12.42

(A Ingram)

S/

15

Hliperum / air Wales supply.

21693C
1-9-42

Home Secy

H.Q. 13 Inf Bde

Please see the papers below. A training battalion H.Q. in temporary quarters is to be established at Bellary. The Army have arranged that Bellary Municipality have an additional pump and pump, especially allocated by Municipality and their requirements for use elsewhere! This scheme gives us an assured supply of good water at a cost slightly above that of pumped and precautionary bore [illegible] waters from Hliperum, which worked out to about Farmers per 1000 gallons.

Bardsley (Asst CE upon enquiry) came to see me about it on Wednesday 26th and wanted an urgent early decision as Brigadier visits 2 Q on 27th morning. Finance had better see

Tom
29/8/42

For [illegible]

We should get up to 2000 gals from municipality, but they cannot or promise supply.

Chy

GOVT. OF TARY
AUG 31 1942
GOVT. OF MADRAS

17

Fort St. George,
27th August '42

My dear Barclay,

I enclose copy of telegram sent to you today about the proposed combined water supply for the Military camp at Bellary and our Jail and Certified School. I have ascertained that we are obtaining from the Municipality at present, about 14,000 gallons a day: 12,000 for the Jail and 2,000 for the Certified School, which is considerably less than our real requirements, while an additional 1000 to 1,200 prisoners may shortly be expected in Alipuram owing to the present disturbances. That means that we pay at full municipal rate for a little more water than we are able to get from the Municipality at present and at 8 as. per thousand gallons for what we normally get from Alipuram. Will you please get the Madras District or the Southern Army to send in a formal letter asking for agreement to the proposal to lift Alipuram installation and the piping and agreeing to the conditions?

I

18

I enclose the copy of your report which you left with me, but I have taken a copy for reference here, and unless you want it back, I am keeping the blue print map.

Yours sincerely,

M

A.G.G.Barclay Esq.,
Deputy C.R.E.,
Madras District Headquarters,
Bangalore.

19 F.

INDIAN POSTS AND TELEGRAPHS DEPARTMENT.

Class Amount Rs. A. No. Date

Office of Origin

RECEIPT
FOR INLAND TELEGRAM
(See Instructions on reverse.)

INDIAN POSTS AND TELEGRAPHS DEPARTMENT. **A**

Class Amount. Rs. A. No. Date.

Office of Origin

Service Code_____ instructions_____

Inland Telegram

H. M.
Sent at_____
To_____
By_____

Words.
Charge. Rs. A.

Space for Postage Stamps
(Space for additional postage stamps on reverse.)

(If National Cash Register Machine is in use, the booking clerk should sign here.)

(Nothing is to be written by the sender above this line.)

If this telegram is to be classed EXPRESS, write the class here. EXPRESS

If this telegram is on State business, the word STATE should be written in this space. STATE

Special Instructions
See Clause 375, Post and Telegraph Guide.

TO { Name BARCLAY
Address MADRAS DIST
Telegraph Office BANGALORE

WE AGREE TO YOUR SCHEME B/ ON FOLLOWING CONDITIONS AAA (1) ARMY TO SUPPLY DAILY TO JAIL AND CERTIFIED SCHOOL 150.0 GALLONS AT MUNICIPAL RATE AND 15000 GALLONS AT EIGHT ANNAS PER THOUSAND TOTAL THIRTY THOUSAND GALLONS DAILY AAA (2) PUMPS AND PIPING TO REMAIN PROPERTY MADRAS GOVERNMENT AND (3) IF REQUIRED ALIPURAM INSTALLATION TO BE RESTORED AT ARMY COST WHEN CAMP ABOLISHED.

RUTHERFORD

20

Should any reference become necessary the production of this receipt will enable the telegram to be traced by the office of origin within *seven* days of the date of its despatch—thereafter *Complaints* respecting this telegram and applications for *Refund* involving complaints against the Service should be made to the Postmaster-General of the Circle concerned, within two months from the date of the telegram. Applications for refund *which do not involve complaints against the Service* should be made to the Officer-in-Charge, Telegraph Check Office, Calcutta.

ADDITIONAL SPACE FOR STAMPS.

The *ACCURACY* of telegrams is not guaranteed ; the Sender and Receiver must accept *ALL RISKS* arising from non-delivery, errors or delays. The receipt granted for the telegram should be enclosed with any reference regarding complaints or refund. In addresses consisting of a name prefixed to a Registered or Abbreviated address, or when a telegram is addressed to one person at the house of another whose name is also given the words "Care of" or the symbol "C/o" should be inserted after the name of the Addressee. There is always risk of a telegram not being delivered if a full and definite address is not given, in the first instance.

NOT TO BE TELEGRAPHED { *Signature and Address of Sender* _____

Eden Press, Calcutta.—No, 127 (5151-A/B-83)—11-7-41—20,000 Bks.

(TTL-607/39)

To

H.Q. Madras Dist. Bangalore.

Report on Water supply - Bellary.

Source: Bellary is supplied from three wells sunk in the Nagari River, the water is chlorinated and pumped by two existing engines and pumps through a 12" diam. main to overhead balancing tanks in the town itself at a distance of 9 miles.

The maximum capacity of the 12" main is 600,000 gals. per day, and the present supply is 432,000 gallons per day, pumped as follows:

2 engines together @ 400 gallons per min. for 8 hours	192,000 gallons
1 engine @ 250 gallons per min. for 16 hours	240,000 ,,
Total	432,000 gallons.

The high level balancing tanks have a capacity of 200,000 gallons, and gravity feed the town and Cowl bazaar.

The Cantonment Area is fed from the Booster Station - see plan. This Booster has a 12" diam. feed from the overhead tanks reduced outside the station to 4" diam. to the Booster Pumps and 7" diam. direct to Cowl Bazaar.

The plant and capacity of the Booster Station is as follows:

Two Nos. Electric pumps (1 H.P.each) connected in series giving 25 gallons per minute against 150 foot head or 1,500 gallons per hour. One No. Oil Engine and pump (7½ H.P.) giving 45 galls. per min. against 150 foot head, or 2,500 galls per hour.

Actual present pumping gives the following:

Oil Engine 5 hours	-	12,500	galls.
Electric " 6 hours	-	9,000	"
Daily total		21,500	galls.

This quantity is distributed as follows:

Alipuram Jail	-	12,000	galls.
Cantonment	-	9,500	galls.
Total		21,500	"

It should be noted that the Electric Supply is only

available in the Bellary at present between 15.00 hours and 23.00 hours daily.

To attain the maximum of 600,000 galls. per day, a new engine and pump are being installed at the pumping station at Hagari and to complete this improvement the following items are required:

Items	Firm	
1 No. 7" Perflux valve	Messrs.Greaves Cotton & Co.	Bombay
1 No. 7" Valve	do	
1 No.10" Foot Valve	do	
Counter Shaft Sole Plate	do	
150" Gripolata Belting	do	
2 Nos. Pulleys	do	
Pulleys, jockey and pulley drive for V.Rope drive	do	
Counter Shaft, Shafting Couplings, Plummer blocks	do	Madras
4 Nos. Fenner V.Ropes	do	do
260 Nos. 5/8" x 3" bolts	do	do

Twin 4 L 3 Pump with accessories - Messrs.Worthington and Simpson Co., Calcutta.

When this plant is installed, the total output of the Nagari Pumping Station will be 575,000 galls. per day which is an increase of 143,000 galls. per day.

The Municipality should supply the Alipuram Jail with 24,000 galls. per day, but at present are only supplying 12,000 gallons.

The following are alternative schemes for supplying Military Requirements:

(A) See drawing attached No.1. Take up the Municipal Mains and reprovide the two drawoffs an new 1¼" diam. main. Mains to be relaid in positions shown. Supply and fix New Booster Pump preferably Oil Driven, to give 50 galls. per min. against 150 foot head to be situated in the existing Booster Station.

The cost of all work including the new Booster Pump to be carried by Government. In addition, if and when the Camp is abandoned the mains will be returned to the Municipality and

and Government will stand the cost of relaying them again.

If this scheme is adopted, a supply of 16,000 gallons. to 20,000 galls. a day for Military purpose is assured.

The scheme has been explained to the Chairman of the Municipality Council and their concurrence is anticipated

(B) See drawing attached - No.2.

At present Alipuram Jail has a pumping station at Alipuram Tank consisting of two Nos. Engines and pumps one 25 H.P. and one 7.5 h.p. Water is pumped from this seasonal tank to Alipuram through a 6" diam. spun pipe line to the Jail, a distance of 2 miles 6 furlongs.

This water is used by the Jail for ablution and gardening purposes and the practice is to pump 14,000 galls. daily when water from the tank is available.

The Alipuram Tank has failed to give a supply for periods as follows:

1936	..	4½ months
1939	..	1 month
1940	..	4½ months
1942	..	4½ months to date.

Take up and relay the 6" diam. main as shown and move the two pumps to a new Booster Station adjacent to the existing and connect to the existing Municipal 12" diam. main, thus pumping direct to the Jail and Military Camp site.

It is considered reasonable that of the additional supply available when the new pump and engine are installed at Hagari (143,000 galls.) that the Government should be allowed to take 72,000 galls. per day out of which 12,000 galls. a day could be supplied to the Alipuram Jail to make the supply up to 24,000 galls. a day leaving 60,000 galls. a day for Military purposes.

The approval of the Madras Government would have to be obtained to this scheme.

(C) See drawing attached - No.3

An existing well on the site of the Old Connaught Barracks has been tested recently by the Industries Dept. and will give a yield of 16,000 galls. per day. This water is not pottable unless chlorinated.

Using the pumps and main from Alipuram tanks run a supply to the Military Camp from the New Booster Station. With the piping that is left over connect the Connought Barracks well to the Jail using the existing Jail pump now situated at the Artesian well.

This would give supplies as follows:

Alipuram Jail

From Municipal Source through existing mains and Booster Station	8,000	gals a day
From Connought Barracks wells	16,000	,,
Total ..	24,000	,,

Military

From Municipal Source through New Booster Station and Mains (Taken from Alipuram Tank)	76,000	gals a day

The Military Booster Station should be connected to the Municipal Main supplying the Jail, to form a standby for the Jail.

As with Scheme 'B' this would require the approval of the Madras Government

It is recommended that either Scheme 'B' or 'C' be used depending on the Military Requirements, i.e. if they are to be 60,000 gallons per day or 76,000 gallons per day.

D.C.R.E.
Madras District

A.G.E.Spl. Divn.No.II
Bangalore.

Home Dept:

Subject :- Alipuram Jail – Water Supply.

Please see the proposals of the Military Dept contained in their note on pp 7–13 ante and Adviser's note on p 1 ante.

2. Water required for the Alipuram jail, Bellary and the Junior Certified School, Bellary, is now obtained from the following sources :-

(a) Municipal water supply – for culinary and drinking purposes.

(b) Alipuram tank – for bathing and washing purposes.

The Municipality should supply 24,000 gallons a day, but actually only about half that quantity is supplied. There were temporary troubles even with regard to this supply by the breakdown of engines. The Municipality makes a free allowance of ~~5000~~ 500 gallons and for the remaining quantity charges the Civil Dept at the rate of Rs 1–8 – per 1000 gallons.

The Alipuram tank supplies about 14,000 gallons per day. But it does not ensure a regular supply. There is a pumping station at the tank consisting of 2 engines and 2 pumps. (When the water supply in the tank fails, water is taken from an artesian well close by which belongs to a Convent. There is a separate proposal to acquire this well, allowing at the same time 5000 gallons to the Convent authorities).

No. 2.9

3 According to proposal B on p 11 ante, the pumping installation at the Alipuram tank is to be moved to a new booster station. New pump and engine originally asked for the Municipality are to be installed at Hagari. The jail will get 12,000 gallons per day, in return for the water which they will cease to get from the Alipuram tank by the dismantling of the machinery there. Adviser has agreed to the proposal subject to the conditions specified in the telegram on p 5 ante.

4 The Military authorities will formally move in the matter and the Govt have to issue orders. The file has first to be sent to Finance EP it may see afterwards.

† commandeered (military & Navy again released to the municipality)

pm
1-9-42

Home no 21693 (2)
2-9-42

From the Commander, Madras Area No 169/17/5 dt 31-8-42]

The letter reference is in the C.F.

Finance (Accounts)

SECRETARY TO GOVERNMENT 2-SEP 1942 FINANCE DEPARTMENT

According to the proposal of Adviser 2 on page 5 ante and the terms of the Military authorities as stated in their letter ~~on page 17 ante~~ in the C.F., no expenditure will have to be incurred by this Government on the installation or the working of the proposed scheme for water supply at Bellary.

25746

The recurring expenditure now incurred by the ~~municipality~~ Govt on the supply of water to the Alipuram Jail and Certified School and the expenditure to be incurred under the new arrangement are indicated below:-

[N.B. Under the new arrangement, the pumps are to be installed near the municipal booster station instead of at the Alipuram tank].

X

pm

Expenditure now incurred.	Expenditure to be incurred.
Payment to the Bellary Municipal Council for 12,000 gallons of water per day at Rs.1-8-0 per 1000 gallons or Rs. 17½ per day (deducting the free allowance of 500 gallons per day).	Payment to the Military authorities for the first 15,000 gallons at Rs.1-8-0 per 1,000 gallons and for the next 15,000 gallons at annas 8 per gallon.
Maintenance and working of the pumps at Alipuram tank for a supply of 14,000 gallons (not made regularly)	Nil.

It will be observed that this Government are saved the expenditure on the maintenance and working of the pumps at Alipuram tank and have, in lieu of that, to pay for the water to be supplied by the Military authorities in excess of 15,000 gallons at annas 8 per 1,000 gallons. The water to be supplied by the Military authorities will be good water, while that got from the Alipuram was used only for washing and gardening purposes.

2. It is stated that a larger supply of water than at present is required on account of the additional prisoners to be sent to the Alipuram Jail. The scheme now proposed seems to be the only feasible one. The proposal may be accepted. It may be definitely stipulated in the orders to be issued that the Alipuram pumps should be handed back to this Government in the same condition as they were before they were taken over by the Military authorities -- see 'M' on page ~~17 ante~~ (cf.).

3. In view of the scheme now proposed, it is presumed that it will be unnecessary to acquire the well belonging to the Convent referred to at 'X' on page 15 ante.

Home Deptt

Please see Adv's D.O. to Mr. Barclay on pp 3-4 ante, the letter from the Commander Madras

18 31

Madras District on p 1. CF, and Advs note on p 1 ante. The proposal will be found explained in para 3 of note on p. 16 ante. For the financial effect of the proposals please see para 1 of Fin note on pp 16-17 above. The Finance Deptt have accepted the proposals. (The army authorities have agreed to the conditions stipulated by the Adviser on p. 5 ante).

2 A draft order is submitted for approval.

3 With reference to para 3 of Finance note on p 17 ante, it is submitted that Adv. 2 has since passed orders, in the file regarding the aquisition of the Artesian well, that the Artesian well may be ~~requested~~ requisitioned temporarily under the D. O. P. Rules as a stand by source of water supply to the gaol and school. Necessary action will be taken in that file. No action is necy. in this file.

E. A. H and P. W. may see after issue of the draft.

21/9/42.

The draft is for approval.

[Secn to A to Govt. Deptt with p 17 ante. Plant deliveries x cannot be handed back in precisely the same condition if taken for Govt. "restore to condition" should be added to

p. ... 2; p 17 ante

p 1 ante.

(... S. ... and ...

S

Conclusion (c) of the draft

3944.

ASST. SECRETARY TO GOVT. 0 - SEP 1942 EDUCATION AND PUBLIC HEALTH DEPT.

A1

1769

be granted to take 240000 gallons from Hamilton City as the Corporation has practically supply there, as their pumping capacity at Hayward works was disrupted. Now Army have arranged for Council to get necessary 3rd pump and Engine and we can then get all we want and probably more. The minimum is agreed to 300000 gallons, and net cost is about the same as for water from Hamilton and water from Auckland from Otahuhu (the latter is dearer at present) hence agreed to as it helps us and helps the Army.

Thos
3/9/42

I agree

3/9/42

HOME DEPARTMENT SEP 8 1942 GOVT. OFFICES

Home no 2169 sc-3
4-9-42

3944

* [Issued as Govt. Circ. No. 3195, Home, 8 & 9-42]. [illegible]

(Advt)
E.P.H.
P.W.D.
} after Issue - Ref

E.

33

Secret (S) 31769 E2

The proposals here relate to an arrangement with the Civil Supply Dept. by Hon'ble Ext. in Home Dept. for the supply of water to Alipuram Jail and Junior Technical School, Bellary. Vide the G.O. on p 3 C.F.

2 The case may be passed on to P.W.D. with the request that a copy of the G.O. at page 3 of 5 9/42 may be communicated to this Dept. It seems necessary to communicate a copy to the Municipal Council

A

9/9/42

S

P.W.D. Secy.

P.T.O.

2 : 61

The whole scheme turns upon the supply of 72,000 gallons by the Reply. (X on ff. 11) EPH4 A3 should have seen. A3 may see now.

Ests
/12/9/42
Home.

UNDER SECRETARY TO GOVERNMENT
15 SEP 1942
HOME DEPT.

Edn Hlth 31-769-1/E2/42
12-9-42
22790C
14-9-42

JOINT SECRETARY
15 SEP 1942
HOME DEPARTMENT

Home Deptt

For orders as to circulation to A Dn. 3, with reference to Ed. H. Secy's note above. (A copy of the order on p. 3 C will be communicated to the Ed. H. Deptt. after return of the file from circulation to A Dn. 3.) P.W.D. may see after circulation.

Ante.

Ante.

R. N.
16/9/42

16/9/42
for
16.9.42.

I am sorry the file was not sent to EPH and circulation to 3rd Division as it is much to get under cut at once. Actually, however, it appears from the noting note below that the Municipality will get about half of the additional water to be provided by these arrangements. Perhaps Ex. EPH means that of the Municipality had been left to

35

such less arrangement by themselves (which engine should have originally ordered by themselves) they could have got all the extra work included of only 1/2 of it. I will now ask Punjab Govt to see EPH after date 24 then

A Ikram

A3

M.Q.

JOINT SECRETARY
5 - OCT 1942
HOME DEPARTMENT

SEP 22 1942

Home 21693 C/42

The file may now be sent to P.W.D for perusal as already marked on page 19 ante.

M
26.9.42

A Ikram

ASST. SECRETARY TO GOVT.
28 SEP 1942
5245
PUBLIC WORKS DEPT.

Home Dept
21693 C-5
28.9.42.

PW
M D

Pub

The file may be perused & returned to Home Dept

29/9/42

29/9/42

29/9/42

Home

Home Dept

JOINT SECRETARY
30 SEP 1942
HOME DEPARTMENT

Pub Dno 5245 Dt 29/9/42
23821C
30.9.42

May now be sent away
M
30.9.42

30/9/42

Routine note

Subject:- Alipuram jail - Water supply.

With reference to the Ld P.H. Dept. note on p 21 n/f, the Secretary wanted to have information on the following points:-

(1) whether the quantity of water that will be available for the Bellary Municipality will be affected by the present proposals

& (2) whether there is anything to show that the Municipality was consulted.

Item (1) above:

Such that the quantity will not be adversely affected. As a matter of fact, the Municipality will get more water The following is the position:-

Max. Capacity of the 12" diam. main. 6,00,000 gallons a day.

3 engines are now working & the total quantity of water now pumped is 4,32,000 gallons a day.

(14 thousand gallons are supplied to the jail)

p 3 n/f

A | An add engine is being installed & this will give 1,43,000 gallons more per day.

(Out of this, 16,000 gallons will go to the jail & about 60,000 gallons to the Military, leaving 67,000 gallons as add water to the Municipality)

The engine referred to at A above was ordered by the Municipality, requisitioned for use by the Military & later on released for use again by the Municipality.

37

Item (2) above:

It appears from Y and PWD Z and all of that the Municipality was consulted by the Civil authority.

19.9.42

See EPH may be

Thanks.

Sd/-
24.9.42

Home

See EPH

Home No 21693 C-1
22-9-42

3606

EP Hem. 33606-1E-PH

24.9.42

ASST. SECRETARY TO GOVT. EDUCATION AND PUBLIC HEALTH DEPT. 22 SEP 1942

ASSISTANT SECRETARY TO GOVERNMENT 25 SEP 1942 HOME DEPARTMENT

SEP 26 1942

JOINT SECRETARY 26 SEP 1942 HOME DEPARTMENT

23529

To

The Municipal Commissioner,
Bellary Municipality,
BELLARY.

No.40290/ 643 /E-4.,
C.R.E's Office,
Bangalore, 13 JULY,46.

LOCAL ADMINISTRATION DEPT. SECRETARIAT, MADRAS. 24 JUL 1946

11 JUL 1946

SECRETARY TO GOVERNMENT PUBLIC HEALTH DEPARTMENT 23 JUL 1946

Sir,

Sub:- WATER SUPPLY - BELLARY MUNICIPALITY SUPPLY TO MILITARY DEPTT., -- NOTICE ISSUED.

Ref:- Your R.C. No. 4446/46 of 2.7.1946.

It is pointed out that as per clause 14 of the water supply Agreement amended upto 30/8/46, the supply of water will remain in force until 3 months from the termination of hostilities and if not terminated then, it shall remain in force until terminated by 6 months notice given in writing by either party. According to this clause, the termination of the agreement should take place on 30/9/46, i.e. 6 months after the termination of hostilities.

In view of the above, the notice given by you to the effect that the water supply will be cut off by 15/8/46, cannot, it is regretted be accepted.

Lands and Hirings of this sub-area E.in.C. are negotiating for the disposal of M.E.S. Water Supply Installation at Bellary and termination could only be effected after this result is known.

Chief Secy
LA wo
AR 18.7.46

Lt. Col.
C.R.E., Bangalore.
13/7

Copy to:-

1) "DADL&H" -- together with copy of municipal commissioners letter referred to above. Will you please inform how the position of the disposal of the Bellary W/S. installation stands.

2) "G" -- for instructions, as to whether the water supply to Bellary should be continued for the purpose of meeting the demand for staging Camp.

3) The Secretary to the Government of Madras, Madras.
-- Ref: Your No. G.O. Ms. No. 2125 dated 5th April, 1948.
The Municipal Commissioner, Bellary Municipality, Bellary has issued notice for stopping water supply vide his No. RC No. 4446/46 dated 2.7.46.

In the event of Military cutting off supply, it will not be possible to supply water to Alipuram Jail.

It is understood that negotiations are now in hand between this E.V. and your Govt. for the disposal of this installation at Bellary.

ASSISTANT SECRETARY TO GOVERNMENT 6 AUG 1946 HOME DEPARTMENT

E.P.H. (H)

No action seems necessary in this Dept. This may be sent to the Home Dept. for perusal. Are there any objections?

29.7.46

Submitted that these papers may be sent to the Home Dept. for perusal.

30/7/46

31.7.46

ASSISTANT SECRETARY TO GOVERNMENT 2 AUG 1946 PUBLIC HEALTH DEPARTMENT

E.P.H. (H) No. 40286 (1)/46 H.
dated 1.8.46

340690 4
28/8/46

1/8/46
Home.

25 2,4

Home Department

Subd for perusal. There are no papers regarding N' an plants in this dept. This may be [redacted] returned to E and P. H. depts. u. r.

CAV

3.3.46.

40 ~~27~~
E.P.H. (H)

74/5/9

Subs: W.S.— Bellary Mfy — Supply to Military Dept.— Notice — Cutting off w.s. to Alipuram Jail.

p/c f/ cNo. 40286 from Lt. Col. A.J. Thompson, C.R.E., Bangalore No. 40290/643/E-4 dated 13-7-46, to the Commr. Bellary Mfy.

Memo. No. 40286-2/46 H.P.H dated 5-9-46.

A copy of the letter of Lt. Col. A.J. Thompson, C.R.E., Bangalore to the Commr Bellary Mfy. read above is Communicated to the D.G.P. Prisons.

p/c f:

To the D.G.P. Prisons with copy of p/c f. as added

16.8.46
24.8.46

16/9/46

With reference to the correspondence ending with the letter read above, I am directed to request that the Commissioner, Bellary Municipality may be informed that the Government have decided to cut off the water supply to the Alipuram Jail with effect from the 1st October 1946 and that the Municipality may take such action as they may consider necessary in the matter.

Sd/- [illegible]
Secretary to Government
Public Health Department.

To
The Commissioner,
Bellary Municipality.

Home Department.

Please see the letter from the C.R.E., Bangalore at (1) and the E and P.H. dept's note thereon.

2. Prior to 1942, the Alipuram Jail, Bellary had a pumping station at the Alipuram Tank which belongs to the jail. The jail was receiving a supply of 14,000 gallons of water a day which was used for bathing and washing purposes both by the Jail and the Junior Certified School, Bellary. The supply was not regular as the tank was only seasonal. In G.O. No. 3195 Home dated 4-9-42, the pipes, pumps, jewel filters and other plant belonging to the pumping station were handed over to the military authorities subject to the following conditions:-

(1) that the War dept. should have the use of the Alipuram Tank water supply pumping installation which should however remain the property of the Govt. of Madras;

(2) that the installation should be handed back to this Govt when no longer required by the military authorities,

(3) that the War dept. should bear the cost of the present scheme and of restoring the installation at the Alipuram tank if this Govt. desired it to be restored, and

(4) that the War dept. should supply water to the Alipuram Jail and the Junior Certified School at Bellary upto a maximum of 30,000 gallons a day at the following rates:-

for the first 15000 gallons at Rs 1/8 per 1000 gallons

for the second 15000 gallons at Rs 8 per 1000 gallons.

On July 1945, the I.G. reported that the tank and the engine room and filter beds belonging to the pumping station were idle, that the Alipuram Jail, and the Junior Certified School, Bellary were getting their supply of water satisfactorily from the Municipal source through the Military pipe and that so long as this arrangement continued the Jail had no necessity for the Alipuram Tank, the Engine room and filter beds etc. and that he had no objection to hand them over to the Fisheries dept. in condition that they could be restored to the Jail dept. if and when required. In G.O. Ms. No. 3504 Home dt 1-10-45, Govt. directed the transfer of the Alipuram tanks, the engine room and filte-

H

beds etc. of the pumping station belonging to the Alipuram Jail, Bellary to the Fisheries Dept. for use as fish nurseries and for large scale fish cultural operations in connection with "Grow More Food" campaign, subject to the condition that the tank, engine room and filter beds etc. should be restored to the jail dept. if and when req^d. The fish which would be grown in the tank would belong to the Fisheries dept.

3. In the letter of p.i. (c.f.) the C.R.E. says that it is understood that negotiations are now in hand between the H.R. and this Govt. for the disposal of the installations at Bellary. No such proposals have been received in this dept. The E. and P.H. dept. may perhaps be requested to communicate a copy of the letter of p.i. (c.f.) to the I. G. of Prisons. The file may be returned to the E & Rackett dept. u.o.

5-8-1946

If the Municipality acts off water supply under the existing arrangement we will have to ask the Fisheries Dept to reimburse the engine room, filter beds etc in the Alipuram tank. Dev may also see.

6/8/46

S

ASSISTANT SECRETARY TO GOVERNMENT
7 AUG 1946
DEVELOPMENT DEPARTMENT

Home Dept. No. 3406 F/46-1.
7.8.46

Dev. Dev 3611 F/46
8.8.46.

Pages 1-2 above may be perused. The file may be passed on to I.G.P.H. dept. u.o.

8/8/46

8/8/46

P.T.O.

E & P.H. Dev 56079 F/46
9/8/46

ASSISTANT SECRETARY TO GOVERNMENT
45629
13 AUG 1946
DEVELOPMENT DEPARTMENT

the notes of Home on pl-2 ante may be perused.

2. The Alipuram Jail, Bellary and the Junior Certified School, Bellary used to get, before 1942, 12,000 gallons of water from the Mty. (which was used for culinary and drinking purposes) and 14,000 gallons of water from the Alipuram tank (which was used for bathing and washing purposes). The pumping station at the Alipuram tank, ~~consisting of two pumpsets and engines~~, belongs to the Alipuram Jail. In G.O. No. 3195 Home dated 4-9-42, the Govt. accepted the proposal that the pumps, pipes, jewel fillers and other plant comprising the Alipuram Tank Pumping Installation should be taken over by the War Dept. of the Govt. of India for use in a W.S. scheme by which 72,000 gallons of water would be available 12,000 gallons for the Jail and 60,000 gallons for the Military. The pumping plant is to remain the property of the Govt. of Madras and is to be restored by the Military at their cost, if and when required.

3. The engine room, filter beds etc. of the Alipuram Tank Pumping Station, which were lying idle, were transferred to the Fisheries Dept. for use as fish nurseries and for large scale fish cultural operations in G.O. No. 3504 Home dated 1-10-45, on condition that they should be restored to the Jail Dept. if and when required.

4. From the copy of the letter at p1c.f., it appears that the agreement under which the W.S. scheme referred to in para 1 above was put in operation, would be terminated on 30.9.46. The Military will not get then the 72,000 gallons of water which

P.T.O.

4/3

we are now getting from the Municipality, and will not therefore be able to supply water to the Jail in turn. The Alipuram Tank Pumping Station installation will, according to the conditions specified in the order at (J)/3, be automatically restored to the Jail Dept. The Fisheries Dept. will then have to be asked to restore back the Tank, engine, pump etc.

6. Home have requested this Dept. to communicate a copy of the letter at pl c/f. to the I.G. of Police. A draft memo is submitted for approval. After issue, this papers may be added to the G.O. at 3195 Home dt 4-9-46. (J)

7. The arrangement that the Municipality should supply to the Military, and the Jail should take the water required for them from the Military. If the agreement between the Mil. Dept. and the Military terminates, the position will be as at M' above. No special instructions called for. Home & Desn. have seen the case.

8. The Press referred to in para 5 above may issue and the file may be added to (J)

4
3/9/46

The Alipuram Camel of 2 [illegible] from the Mil. Dairy Farm under the stock exchange agreement between the Military authorities & Municipality dt 30.9.46. The Alipuram Jail will then have no supply. An indent has been placed for the supply from the Military Dairy Farm at Bangalore and it is expected that the camels will be received by the end of [illegible] Jail. Copies of the Indent have been sent to the Inspr of Police, Nilgiris for information. We may then check the arrangements for supply of water to the Jail.